IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.	:	10/677,134	Confirmation No.	3898
Patent No.	:	7,308,156 B2		
Filed	:	September 30, 2003		
Examiner	:	Unknown	Art Unit:	2624
Docket No.	:	FN-104B-US		
Customer No.	:	72104		

Title of the Invention: AUTOMATED STATISTICAL SELF-CALIBRATING DETECTION AND REMOVAL OF BLEMISHES IN DIGITAL IMAGES BASED ON A DUST MAP DEVELOPED FROM ACTUAL IMAGE DATA

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

PETITION UNDER 37 C.F.R. §1.322
CERTIFICATE OF CORRECTION OF OFFICE MISTAKE

Sir:

This is a petition for a Certificate of Correction of an Office Mistake under 37 C.F.R. §1.322 in connection with the above-identified patent application. No fees are required.

It is respectfully requested that the Director issue a certificate of correction pursuant to 35 U.S.C. 254 to correct a mistake in patent **7,308,156 B2**, incurred through the fault of the Office, for a mistake which is clearly disclosed in the records of the Office **Bib Data Sheet** herein submitted. Corrections are necessary for the following reason(s):

1. Incorrect APPLICANT information on the face of the patent; see country code **"(IR)" designating Iran.**
   Peter Corcoran, Galway **(IR);**
   Petronel Bigioi, Galway **(IR);**

Correct APPLICANT information **"(IE)" designating Ireland** as follows:
Peter Corcoran, Galway **(IE);**
Petronel Bigioi, Galway **(IE);**

2. Note the enclosed USPTO **Bib Data Sheet** reflecting the correct APPLICANT information for all eight inventors; including:
Peter Corcoran, Galway, **IRELAND;**
Petronel Bigioi, Galway, **IRELAND;**

The Certificate of Correction information is hereby submitted via the EFS-Web system and is of sufficient quality such that all details are reproducible in the printed patent.

This Petition includes the following:

i One copy of Patent No. **US 7,308,156 B2** (front page only)

ii One copy of the **Bib Data Sheet** Confirmation No. 3898; and

iii A Certificate of Correction (PTO/SB/44) reflecting all the inventor names, residencies, and their correct country codes.

The Commissioner is authorized to charge any deficiencies in fees and credit any overpayment of fees to Deposit Account No. 50-4399.

Respectfully submitted,

Dated: October 26, 2009 By /Andrew V. Smith/
Andrew V. Smith
Reg. No. 43,132
Attorneys for Applicant(s)